




WINDOWS

&

EXTERIOR DOORS



PVC AND ALUMINUM CLADDING COLOURS RANGE





















STANDARD COLOUR FOR VEKA AND REHAU PVC WINDOWS

white

PVC VENEERS COLOURS

STANDARD VENEERS					NON-STANDARD VENEERS				
Mahogany	Walnut	Swamp oak	Gold oak	Winchester	Green	Agate grey	Cream and white	Siena noce	Macore
					Black and brown	Rustic Oak	Silver and grey		
					Quartz grey	fair oak	Navy grey		
					dark grey matt	Mountain pine	Navy green		
					Basalt and grey	Shaded douglas-fir	Brown		
					Silver and grey matt		Siena rosso		
STANDARD VENEERS					NON-STANDARD VENEERS				
Anthracite	Mahogany	English walnut	Swamp oak	Gold oak	Palisandr	Douglas-fir	Signal grey	Quartz grey	
					Fair oak	Oregon	Swiss mountain pine	Macore	

ALUMINUM CLADDING COLOURS

							STRUCTURAL
P1 F1	P2 F1	P2 F2	P2 F5	2 - 02	2 - 03	2 - 05	
							
1 - 20	2 - 16	2 - 20	3 - 01	3 - 09	3 - 12	3 - 17	
							ANODIZED
Silver	Olive	Brown	Gold				



Wooden, PVC and alu cladding windows are made according to RAL standards.

<http://www.kouformata-alouminiou-pvc.gr>





Understanding the icons used in our catalogue



WINDOW CLASSIFICATIONS

SILVER line

Basic

GOLD line

Optimal

PLATINIUM line

Exclusive


ICON DESCRIPTIONS




Profile thickness




Number of chambers



Energy efficiency
for a reference type window
with the dimensions of
146 x 144 cm



Noise insulation



Guarantee*

* Please contact your local distributor for the guarantee details

Contents

PVC Windows

Effecta	8
Prima	10
Optima	12
Cortina	14
Termic	16
Sunny	18
Hotic	20
Types of PVC profiles	22

Wooden windows

Plus	26
Solar	28
Capital	30
Types of wooden profiles	32

Aluminium clad wooden windows

Comfort	36
Record	38
Prestige	40
Types of aluminium clad wooden windows	42

Window specifications 44

Window features 46

Window shapes 45

Custom windows 50

Window accessories 54

Exterior Doors

Sarmatia	58
Premium Termo	62

Exterior Door Accessories 66

Aluminium Systems 70





PVC WINDOWS

SYSTEMS:

WINDOW CLASSIFICATIONS

SILVER line

GOLD line

PLATINIUM line

ICON DESCRIPTIONS




Profile thickness



Number of chambers



Energy efficiency



Noise insulation



Guarantee



PVC Windows

SILVER line

Effecta

- ➞ 70 mm profile recommended for residential and commercial properties.
- ➞ 5-chamber profile, ensures energy efficiency and sound insulation at competitive prices.
- ➞ The profile is available only in white with grey or black gasket.

CHOOSE A COLOUR
from the cover

WINDOW SPECIFICATIONS
pp. 44 - 45

CHECK FEATURES
p. 46

For more details visit





Profile thickness

70 mm

Number
of chambers

5

U_w from
0,95 (W/m²K)




Rw up to 47 dB



Guarantee





PVC Windows

SILVER line

Prima


- ➞ Modern 70 mm profile available in three profile shapes: modern, soft, retro (pp. 22-23).
- ➞ 5-chamber profile with steel reinforcements for increased stability.
- ➞ Classic contours - widely used in domestic commercial applications.

CHOOSE A COLOUR
from the cover

WINDOW SPECIFICATIONS
pp. 44 - 45

CHECK FEATURES
p. 46

For more details visit





Profile thickness

70_{mm}

Number
of chambers

5

U_w from
0,95 (W/m²K)



Rw up to 47 dB



Guarantee





PVC Windows

GOLD line

Optima

- ➞ New 82 mm profile universally suitable for new constructions and house renovation projects.
- ➞ 7-chambers system with innovative multi-chamber geometry for excellent thermal insulation.
- ➞ Very easy to clean and particularly low maintenance profile.


CHOOSE A COLOUR
from the cover

WINDOW SPECIFICATIONS
pp. 44 - 45

CHECK FEATURES
p. 46

For more details visit





Profile thickness

82 mm

Number
of chambers

7

U_w from
0,79 (W/m²K)



Rw up to 47 dB



Guarantee





PVC Windows

PLATINIUM line

Cortina

- ➞ Exclusive 90 mm profile with slightly rounded contours for a classic and neat look.
- ➞ 6-chamber technology fully exploit the insulating properties of air, ensuring superb heat insulation.
- ➞ Optional insulation strip for maximum heat retention.

CHOOSE A COLOUR
from the cover

WINDOW SPECIFICATIONS
pp. 44 - 45

CHECK FEATURES
p. 46

For more details visit





Profile thickness

90 mm

Number
of chambers

6

U_w from
0,77 (W/m²K)



Rw up to 47 dB



Guarantee





PVC Windows

SILVER line

Termic

- ➞ 70 mm profile with extremely slim sight-lines and enhanced aesthetic appeal.
- ➞ 5-chamber profile ensures optimum energy efficiency and proper noise insulation.
- ➞ The smooth surface of the window profile does not attract dirt and can be quickly and easily cleaned.

CHOOSE A COLOUR
from the cover

WINDOW SPECIFICATIONS
pp. 44 - 45

CHECK FEATURES
p. 46

For more details visit





Profile thickness

70_{mm}

Number
of chambers

5

U_w from
0,93 (W/m²K)



Rw up to 45 dB



Guarantee





PVC Windows

GOLD line

Sunny

- ➔ 86 mm profile manufactured from REHAU's high performance weather resistant PVC.
- ➔ 6-chamber profile for excellent thermal properties and to achieve greater energy savings.
- ➔ Engineered for strength and durability and ease of installation

CHOOSE A COLOUR
from the cover

WINDOW SPECIFICATIONS
pp. 44 - 45

CHECK FEATURES
p. 46

For more details visit





Profile thickness

86 mm

Number
of chambers

6

U_w from
0,83 (W/m²K)



Rw up to 46 dB



Guarantee





PVC Windows

PLATINIUM line

Hotic

- ➔ 86 mm profile - the first fully self reinforced window profile system made from a high-tech fibre reinforced composite material RAU-FIPRO®.
- ➔ 6-chamber profile with unique energy efficient specification.
- ➔ New shape of gaskets to facilitate everyday operation of the window.

CHOOSE A COLOUR
from the cover

WINDOW SPECIFICATIONS
pp. 44 - 45

CHECK FEATURES
p. 46

For more details visit





Profile thickness

86 mm

Number
of chambers

6

U_w from
0,73 (W/m²K)



Rw up to 47 dB








Guarantee



PVC WINDOWS

TYPES OF PVC PROFILES

	EFFECTA	PRIMA	OPTIMA	
modern				
soft	—		—	
retro	—		—	

The chart refers to shapes of PVC profiles only. Presented glazings are for demonstration purposes only.

Choose
the most interesting
window profile
for you!

<http://www.koufomata-aluminium-pvc.gr>





CORTINA

TERMIC

SUNNY

HOTIC



WINDOW SHAPES – EXAMPLES


RECTANGULAR

available in below window models:

Wooden windows: Plus, Solar, Capital (also in aluminium cladding)

Alu clad wooden windows: Comfort, Record, Prestige

PCV Windows: Effecta, Prima, Optima, Cortina, Termic, Sunny, Hotic




TRIANGLES, TRAPEZES, POLYGONS

available in below window models:

Wooden windows: Plus, Solar, Capital (also in aluminium cladding)

Alu clad wooden windows: Comfort, Record, Prestige

PCV Windows: Effecta, Prima, Optima, Cortina, Termic, Sunny, Hotic



Please contact
us to discuss
other options

info@styletech.gr



WINDOW SHAPES – EXAMPLES




ARCH, ROUND

available in below window models:

Wooden windows: Plus, Solar, Capital (also in aluminium cladding)

Alu clad wooden windows: Comfort, Record, Prestige

PCV Windows: Prima, Optima, Cortina, Termic, Sunny, Hotic




* available in wood only:
Plus, Solar, Capital


* available in wood only: Plus,
Solar, Capital oraz okna PVC:
Prima, Optima, Cortina, Termic,
Sunny, Hotic

* available in wood only: Plus,
not available with aluminium
cladding


* available in wood only: Plus,
Solar, Capital and as PVC
windows: Prima, Optima,
Cortina, Termic, Sunny, Hotic



* available in wood and alu clad
wood only: Comfort, Record,
Prestige and as PVC windows:
Prima, Optima, Cortina, Termic,
Sunny, Hotic



* available in wood only:
Plus, Solar, Capital



* available in wood only:
Plus, Solar, Capital, not
available in aluminum cladding

Please contact us
to discuss other
options

info@styletech.gr



BALCONY DOORS - EXAMPLES





SLIDING BALCONY HS

available in below profile options:


Wooden profiles: Plus, Solar, Capital (also in aluminium cladding)

Alu clad wooden profiles: Comfort, Record, Prestige


PCV profiles: Prima, Termic, Hotic





* not available in PV



* not available in PVC



* not available in PVC








TILT AND SLIDE BALCONY UP

available in below profile options:

Wooden profiles: Plus, Solar, Capital (also in aluminium cladding)

Alu clad wooden profiles: Comfort, Record, Prestige


PCV profiles: Prima, Optima, Cortina, Termic, Sunny, Hotic



Please contact
us to discuss
other types of
HS and UP
balcony.

info@styletech.gr





Window Shutters

- ➔ Aesthetic, natural and decorative touch to complement home's exterior.
- ➔ Available in pine, oak, meranti or treated plywood.
Choose colour to match you design; available types of full shutters (board) with fixed or adjustable louvers built into the wooden frame.
- ➔ Board shutters are offered in many shapes, louver shutters are available in a rectangular option only.

CHOOSE A COLOUR
from the cover


For more details visit



ADJUSTABLE LOUVERS



FIXED LOUVERS



BOARD SHEATHING



SHUTTER INSTALLATION OPTIONS:

Option I




Mounted to the wall, the most traditional installation system.

Option II

Mounted to the window frame, shutters after closing hide into the wall and are therefore better protected against bad weather conditions.

Option III


Mounted onto its own frame, the space between the window and the shutters is furnished with wood, increasing window aesthetics and retaining its functionality.






Examples of window accessories

TYPES OF MUNTINS (SECTIONS)




INTERNAL MOUNTINGS -

placed inside the glazing set, fixed to the glass pane spacer. They can be covered with a woodlike layer or lacquered in accordance with the RAL colour palette. They are available in the following width: 8mm, 18mm or 26mm.



VIENNENISE MOUNTINS (STICK ON) -

placed on both sides of the outer part of the pane surface, additionally they can be enhanced with an aluminium construction between the panes. They are made from the same wood and in the same colour as the window frame therefore complementing the window. Standard width is 25mm.




STRUCTURAL MUNTINS -

they are an element of the construction of the window sash, they divide the pane into smaller parts and increase the window stability. They are made from the same wood and in the same colour as the window frame. Standard width is 61mm.


Internal muntins are available in the following width: 8mm, 18mm or 26mm.

8 mm



18 lub 26 mm





group

/ email:info@styletech.gr p <http://www.styletech.gr> <http://www.koufomata-aluminiumi-pvc.gr> <https://www.youtube.com/playlist?list=PLlUliqQ01CknHzT2suwFXV1uwNFw6BW-D>



EXTERIOR DOORS

ICON DESCRIPTIONS



Door thickness




Anti-Burglary



Energy efficiency



Guarantee



Exterior doors


- ➞ Core made from engineered pine, covered with natural veneer (pine, meranti or oak). Filled with insulation foam to improve thermal properties.
- ➞ To achieve fully factory finished products, our treatment process consist impregnation which is undertaken in separated stage and the application of paint or stain from our wide range of colours.
- ➞ The door range is distinguished by a remarkable design with original decorative elements from stainless steel.
- ➞ Special fittings and glazing sets ensure high anti-burglary capabilities.
- ➞ Standard external size is 1020 x x2100 mm. The door can open inward or outward. Non-standard sizes are available.

CHOOSE A COLOUR
from the cover

DOOR ACCESSORIES
pp. 44 - 45

For more details visit





Door thickness

68mm

Class 2




U_d from
1,0 (W/m²K)




Guarantee









Doors accessories samples

HANDLES



HANDLE AXA, ROTTERDAM
Colour: silver, gold, old gold, titanium



HANDLE AXA, ODIN
Colour: silver, gold, old gold, titanium



HANDLE AXA, PRESTIGE
Colour: silver, gold, old gold, titanium



HANDLE AXA, NIAGARA
Colour: silver, gold, old gold, titanium



HANDLE FKS
colour: white, silver, gold, brown, old gold



HANDLE HOPPE
colour: white, brown, silver, old gold

HINGE COVERS



white



brown



silver



gold



old gold

PEEPHOLE



SELF-CLOSING DEVICES WITH HOLD-OPEN OPTION



silver



brown





white

BLUEMATIC



Multi-point automatic lock with electric unlock (there is a possibility to unlock with a key ring, card, remote control, fingerprint scanner, keypad, scanner for a mobile phone).

DOOR WITH PANIC BAR OPENER



ELECTROMAGNETIC LOCK



Used in higher security systems, in which during a blackout all entrances are opened (in cinemas, schools, hospitals, lecture halls, public utility buildings, fire and emergency exits)


PULL DOOR HANDLE – RECTANGULAR



PULL DOOR HANDLE – ROUND



PULL DOOR HANDLE – WITH A BUTTON





Aluminium Systems

- ➔ Modern aluminium solutions in Ponzio or Aluprof systems can be used in facades constructions, shell construction, glass facade surface and winter gardens
- ➔ Aluminium system can be made in any RAL colour or anodize profiles to match required facades designs.

CHOOSE A COLOUR
from the cover

For more details visit





ALUMINIUM PROFILE SAMPLES:

